



CEE 17 Industrial Plugs and Sockets

according to IEC / EN 60309. VDE 0623

歐規電源連接器



英碩科技股份有限公司
台北市忠孝東路5段815號4樓
電話：02- 27885218
傳真：02- 27859814
info@invax.com.tw
www.invax.com.tw



歐規電源連接器 IP44 50/60Hz



電流 Current	極數 Poles	規格電壓 Voltage (V)	接地 極位	接線母頭	面板母座	斜面母座	外露母座	接線公頭	面板公座	外露公座
16A	2P+E	>50 (301-500 Hz)	2	7201	—	7301	7321	7101	—	—
		100/130	4	1201	1311	1301	1321	1101	1111	1121
		200/250	6	2201	2311	2301	2321	2101	2111	2121
		480/500	7	5201	—	5301	5321	5101	—	—
		380/415	9	3201	3311	3301	3321	3101	3111	3121
	3P+E	>50 (301-500 Hz)	2	7202	—	7302	7322	7102	—	—
		100/130	4	1202	1312	1302	1322	1102	1112	1122
		380/415	6	3202	3312	3302	3322	3102	3112	3122
		480/500	7	5202	5312	5302	5322	5102	5112	5122
		200/250	9	2202	2312	2302	2322	2102	2112	2122
	3P+N+E	>50 (100-300 Hz)	10	7282	—	7382	7352	7182	—	—
		>50 (301-500 Hz)	2	7203	—	7303	7323	7103	—	—
		57/100 75/130	4	1203	1313	1303	1323	1103	1113	1123
		200/346 240/415	6	3203	3313	3303	3323	3103	3113	3123
		277/480 288/500	7	5203	5313	5303	5323	5103	5113	5123
		120/208 144/250	9	2203	2313	2303	2323	2103	2113	2123
32A	2P+E	>50 (301-500 Hz)	2	7204	—	7304	7324	7104	—	—
		100/130	4	1204	1314	1304	1324	1104	1114	1124
		200/250	6	2204	2314	2304	2324	2104	2114	2124
		480/500	7	5204	—	5304	5324	5104	—	—
		380/415	9	3204	3314	3304	3324	3104	3114	3124
	3P+E	>50 (301-500 Hz)	2	7205	—	7305	7325	7105	—	—
		100/130	4	1205	1315	1305	1325	1105	1115	1125
		380/415	6	3205	3315	3305	3325	3105	3115	3125
		480/500	7	5205	5315	5305	5325	5105	5115	5125
		200/250	9	2205	2315	2305	2325	2105	2115	2125
	3P+N+E	>50 (100-300 Hz)	10	7285	—	7385	7395	7185	—	—
		>50 (301-500 Hz)	2	7206	—	7306	7326	7106	—	—
		57/100 75/130	4	1206	1316	1306	1326	1106	1116	1126
		200/346 240/415	6	3206	3316	3306	3326	3106	3116	3126
		277/480 288/500	7	5206	5316	5306	5326	5106	5116	5126
		120/208 144/250	9	2206	2316	2306	2326	2106	2116	2126

SCHUKO 系列 10A/16A 250V



極數 Poles	面板母座 IP44	外露母座 IP44	面板母座 IP54 插線式	面板母座 IP54 夾線式	橡膠公插頭 IP44	橡膠母插頭 IP44	三組母插頭 IP44	防水母座 IP67	防水插頭 IP67
2P+E	0101	0103	0464 (法)	0414 (法)	0110 (107 mm)	0120 (135 mm)	0130	0105	0114
	0102	0104	0452	0402	0115 (98 mm)	0125 (102 mm)			



UL 12505
面板母座
110 / 125V
15A IP54



歐規電源連接器 IP67 50/60Hz



電 流 Current	極 數 Poles	規格電壓 Voltage (V)	接地 極位	接線母頭	面板母座	外露母座	接線公頭	斜面公座	外露公座
16A	2P+E	>50 (301-500 Hz)	2	7701	7801	7821	7601	—	—
		100/130	4	1701	1801	1821	1601	1611	1621
		200/250	8	2701	2801	2821	2601	2611	2621
		480/500	7	5701	5801	5821	5601	—	—
	3P+E	380/415	9	3701	3801	3821	3601	—	—
		>50 (301-500 Hz)	2	7702	7802	7822	7602	—	—
		100/130	4	1702	1802	1822	1602	—	—
		380/415	6	3702	3802	3822	3602	3612	3622
		480/500	7	5702	5802	5822	5602	5612	5622
		200/250	8	2702	2802	2822	2602	2612	2622
		>50 (100-300 Hz)	10	7782	7882	7892	7682	—	—
	3P+N+E	>50 (301-500 Hz)	2	7703	7803	7823	7603	—	—
		57/100 75/130	4	1703	1803	1823	1603	—	—
32A	2P+E	200/346 240/415	6	3703	3803	3823	3603	3613	3623
		277/480 288/500	7	5703	5803	5823	5603	—	—
		120/208 144/250	9	2703	2803	2823	2603	—	—
		>50 (301-500 Hz)	2	7704	7804	7824	7604	—	—
	3P+E	100/130	4	1704	1804	1824	1604	1614	1624
		200/250	6	2704	2804	2824	2604	2614	2624
		480/500	7	5704	5804	5824	5604	—	—
		380/415	9	3704	3804	3824	3604	—	—
	3P+N+E	>50 (301-500 Hz)	2	7705	7805	7825	7605	—	—
		440 (60 Hz)	3	7715	7815	7835	7615	—	—
		100/130	4	1705	1805	1825	1605	—	—
		380/415	6	3705	3805	3825	3605	3615	3625
63A	3P+E	480/500	7	5705	5805	5825	5605	5615	5625
		200/250	8	2705	2805	2825	2605	2615	2625
		>50 (100-300 Hz)	10	7785	7885	7895	7685	—	—
	3P+N+E	>50 (301-500 Hz)	2	7706	7806	7826	7606	—	—
		57/100 75/130	4	1706	1806	1826	1606	—	—
		200/346 240/415	6	3706	3806	3826	3606	3616	3626
		277/480 288/500	7	5706	5806	5826	5606	—	—
		120/208 144/250	9	2706	2806	2826	2606	—	—
	2P+E	100/130	4	1751	1851	1871	1651	1661	1671
		200/250	6	2751	2851	2871	2651	2661	2671
	3P+E	380/415	6	3752	3852	3872	3652	3662	3672
		480/500	7	5752	5852	5872	5652	5662	5672
125A	3P+N+E	200/250	9	2752	2852	2872	2652	2662	2672
		200/346 240/415	6	3753	3853	3873	3653	3663	3673
	2P+E	100/130	4	1754	1854	1874	1654	1664	1674
		200/250	6	2754	2854	2874	2654	2664	2674
	3P+E	380/415	6	3755	3855	3875	3655	3665	3675
		480/500	7	5755	5855	5875	5655	5665	5675
125A	3P+N+E	200/250	9	2755	2855	2875	2655	2665	2675
		200/346 240/415	6	3756	3856	3876	3656	3666	3676



歐規電源連接器 超低壓系列
EXTRA LOW VOLTAGE
IP44 50/60Hz



電 流 Current	極 數 Poles	規格電壓 Voltage (V)	電壓頻率 (Hz)	接地 極位	接線公頭	面板公座	外露公座	接線母頭	面板母座	外露母座
16A	2P	24	50/60	sr	8101	8111	8121	8201	8311	8321
		42	50/60	12	9101	9111	9121	9201	9311	9321
		24/42	100/200	4	8401	8417	8433	8449	8465	8481
		24/42	300	2	8403	8419	8435	8451	8467	8483
		24/42	400	3	8405	8421	8437	8453	8469	8485
		24/42	400/500	11	8407	8423	8439	8455	8471	8487
		24/42	cc	10	6101	6111	6121	6201	6311	6321
	3P	24	50/60	sr	8102	8112	8122	8202	8312	8322
		42	50/60	12	9102	9112	9122	9202	9312	9322
		24/42	100/200	4	8402	8418	8434	8450	8466	8482
		24/42	300	2	8404	8420	8436	8452	8468	8484
		24/42	400	3	8406	8422	8438	8454	8470	8486
		24/42	400/500	11	8408	8424	8440	8456	8472	8488
		24/42	cc	10	6102	6112	6122	6202	6312	6322
32A	2P	24	50/60	sr	8104	8114	8124	8204	8314	8324
		42	50/60	12	9104	9114	9124	9204	9314	9324
		24/42	100/200	4	8409	8425	8441	8457	8473	8489
		24/42	300	2	8411	8427	8443	8459	8475	8491
		24/42	400	3	8413	8429	8445	8461	8477	8493
		24/42	400/500	11	8415	8431	8447	8463	8479	8495
		24/42	cc	10	6104	6114	6124	6204	6314	6324
	3P	24	50/60	sr	8105	8115	8125	8205	8315	8325
		42	50/60	12	9105	9115	9125	9205	9315	9325
		24/42	100/200	4	8410	8426	8442	8458	8474	8490
		24/42	300	2	8412	8428	8444	8460	8476	8492
		24/42	400	3	8414	8430	8446	8462	8478	8494
		24/42	400/500	11	8416	8432	8448	8464	8480	8496
		24/42	cc	10	6105	6115	6125	6205	6315	6325

歐規電源 開關型插座
SAFETY SOCKETS
IP44 / IP67 50/60Hz



電 流 Current	極 數 Poles	規格電壓 Voltage (V)	接地 極位	面板母座 IP44	外露母座 IP44	面板母座 IP67	外露母座 IP67	外露母座 IP67	轉接頭 IP44	外露母座 IP44
16A	2P+E	100/130 200/250	4 6	1351 2351	1361 2361	1811 2811	1831 2831	1841 2841	0121	0211
	3P+E	380/415	6	3352	3362	3812	3832	3842	-	0312
	3P+N+E	200/346 240/415	6	3353	3363	3813	3833	3843	0123	0313
	3P+N+E	200/346 240/415	6	3356	3366	3816	3836	3846	-	0316
32A	2P+E	100/130 200/250	4 6	1354 2354	1364 2364	1814 2814	1834 2834	1844 2844	-	0214
	3P+E	380/415	6	3355	3365	3815	3835	3845	-	0315
	3P+N+E	200/346 240/415	6	3356	3366	3816	3836	3846	-	0316
	3P+N+E	200/346 240/415	6	-	-	-	-	-	-	-
63A	2P+E	100/130 200/250	4 6	-	-	-	-	*1881 *2881	-	-
	3P+E	380/415	6	-	-	-	-	*3882	-	-
	3P+N+E	200/346 240/415	6	-	-	-	-	*3883	-	-
	3P+N+E	200/346 240/415	6	-	-	-	-	-	-	-